

Package: spatemR (via r-universe)

May 16, 2026

Type Package

Title Generalized Spatial Autoregressive Models for Mean and Variance

Version 1.3.0

Description Modeling spatial dependencies in dependent variables, extending traditional spatial regression approaches. It allows for the joint modeling of both the mean and the variance of the dependent variable, incorporating semiparametric effects in both models. Based on generalized additive models (GAM), the package enables the inclusion of non-parametric terms while maintaining the classical theoretical framework of spatial regression. Additionally, it implements the Generalized Spatial Autoregression (GSAR) model, which extends classical methods like logistic Spatial Autoregressive Models (SAR), probit Spatial Autoregressive Models (SAR), and Poisson Spatial Autoregressive Models (SAR), offering greater flexibility in modeling spatial dependencies and significantly improving computational efficiency and the statistical properties of the estimators. Related work includes: a) J.D. Toloza-Delgado, Melo O.O., Cruz N.A. (2024). ``Joint spatial modeling of mean and non-homogeneous variance combining semiparametric SAR and GAMLSS models for hedonic prices". [doi:10.1016/j.spasta.2024.100864](https://doi.org/10.1016/j.spasta.2024.100864). b) Cruz, N. A., Toloza-Delgado, J. D., Melo, O. O. (2024). ``Generalized spatial autoregressive model". [doi:10.48550/arXiv.2412.00945](https://doi.org/10.48550/arXiv.2412.00945).

License GPL (>= 3)

Encoding UTF-8

LazyData true

Depends R (>= 4.0)

Imports methods, stats, gamlss (>= 5.3-1), gamlss.dist, sphet, Matrix

Suggests testthat (>= 3.0.0), sp, spdep

Config/testthat/edition 3

RoxygenNote 7.3.3

NeedsCompilation no

Author Nelson Alirio Cruz Gutierrez [aut, cre, cph], Oscar Orlando Melo [aut], Jurgen Toloza-Delgado [aut]

Maintainer Nelson Alirio Cruz Gutierrez <nelson-alirio.cruz@uib.es>

Config/pak/sysreqs libabsl-dev cmake libgdal-dev gdal-bin libgeos-dev libicu-dev libssl-dev libproj-dev libsqlite3-dev libudunits2-dev

Repository <https://cruzalirio.r-universe.dev>

Date/Publication 2026-04-16 16:23:38 UTC

RemoteUrl <https://github.com/cruzalirio/spatemr>

RemoteRef HEAD

RemoteSha f63261fa6d19b6dd6ae6b641a00dbc2f30f3e604

Contents

GSCIMC	2
Hurdle_GSCIMC	4
print.summary.GSCIMC	5
print.summary.SARARgamlss	6
ptfamily	6
SARARgamlss	7
summary_SAR	8
var_rho_inv	9

Index 11

GSCIMC	<i>Generalized Estimating Equations with Spatial Autoregressive Components</i>
--------	--

Description

‘GSCIMC’ estimates generalized estimating equations (GEE) incorporating spatial autoregressive (SAR) components. It extends GEE models to account for spatial dependence in the response variable.

Usage

```
GSCIMC(
  formula,
  family = gaussian(),
  weights = NULL,
  data,
  W,
  start = NULL,
  toler = 1e-04,
  maxit = 200,
```

```

    trace = FALSE,
    eps = 1e-06
  )

```

Arguments

formula	A formula specifying the model structure (response ~ predictors).
family	A description of the error distribution and link function. Default is 'gaussian()'.
weights	Optional vector of prior weights. Must be positive.
data	A data frame containing the variables in the model.
W	A spatial weights matrix defining the spatial dependence structure.
start	Optional starting values for parameter estimation.
toler	Convergence tolerance for iterative optimization. Default is '1e-05'.
maxit	Maximum number of iterations for model fitting. Default is '50'.
trace	Logical; if 'TRUE', prints iteration details. Default is 'FALSE'.
eps	Minimum value for variance difference of zero

Details

The function estimates a spatially autoregressive GEE model by iteratively updating the spatial dependence parameter ('rho') and regression coefficients ('beta'). The estimation follows a quasi-likelihood approach using iterative weighted least squares (IWLS).

The function supports common GLM families ('gaussian', 'binomial', 'poisson', 'Gamma', 'inverse.gaussian') and their quasi-likelihood equivalents.

Value

A list of class "GSCIMC" containing:

coefficients	Estimated regression coefficients.
rho	Estimated spatial autoregressive parameter.
fitted.values	Predicted values from the model.
linear.predictors	Linear predictor values ('X * beta').
prior.weights	Weights used in estimation.
y	Observed response values.
formula	Model formula.
call	Function call used to fit the model.
data	Data used in the model.
converged	Logical indicating whether the algorithm converged.
logLik	Quasi-log-likelihood of the fitted model.
deviance	Residual deviance.
df.residual	Residual degrees of freedom.

phi	Dispersion parameter estimate.
R	Robust Variance Estimation.
CIC	Corrected Information Criterion.
RJC	Robust Jackknife Correction.

Source

<https://doi.org/10.48550/arXiv.2412.00945>

References

Cruz, N. A., Toloza-Delgado, J. D., & Melo, O. O. (2024). Generalized spatial autoregressive model. arXiv preprint arXiv:2412.00945.

See Also

[glm](#), [gee](#), [spdep](#)

Examples

```
library(spdep)
library(sp)
data(meuse)
sp::coordinates(meuse) <- ~x+y
W <- spdep::nb2mat(knn2nb(knearneigh(meuse, k=5)), style="W")
fit <- GSCIMC(cadmium ~ dist + elev, family=poisson(), data=meuse, W=W)
summary_SAR(fit)
```

Hurdle_GSCIMC

Hurdle Model using GSCIMC

Description

This function fits a hurdle model using GSCIMC, consisting of: (1) A logit model for zero vs. non-zero responses. (2) A truncated Poisson model for positive counts.

Usage

```
Hurdle_GSCIMC(
  formula,
  data,
  W,
  weights = NULL,
  toler = 1e-05,
  maxit = 200,
  trace = FALSE
)
```

Arguments

formula	A formula specifying the model.
data	The dataset.
W	The spatial weight matrix.
weights	Optional weights.
toler	Convergence tolerance.
maxit	Maximum number of iterations.
trace	Logical. If TRUE, prints progress.

Value

A list containing the logit and Poisson-truncated models.

Examples

```
set.seed(123)
n <- 100
x <- rnorm(n)
y <- rpois(n, lambda = exp(0.5 * x))
y[rbinom(n, 1, 1/(1+exp(-0.5*x)))] <- 0 # Introduce zeros
W <- matrix(rbinom(n^2,1,0.2), n, n) # Example spatial weight matrix
diag(W) <- 0
rtot <- rowSums(W)
W <- W/ifelse(rtot==0, 0.1, rtot)
model <- Hurdle_GSCIMC(y ~ x, data = data.frame(y, x), W = W)
summary_SAR(model$logit_model)
summary_SAR(model$poisson_truncated_model)
```

print.summary.GSCIMC *Print Method for Summary of GSCIMC Models*

Description

This method prints a formatted summary of a 'summary.GSCIMC' object, including details of the model coefficients, rho, dispersion, and other statistics.

Usage

```
## S3 method for class 'summary.GSCIMC'
print(x, ...)
```

Arguments

x	An object of class 'summary.GSCIMC'.
...	Additional arguments (currently unused).

Value

Print a summary for the specified Generalized Spatial Autoregressive Model class.

```
print.summary.SARARgamlss
```

Print Method for Summary of SARARgamlss Models

Description

This method prints a formatted summary of a 'summary.SARARgamlss' object, including details of the GAMLSS model, spatial parameters (rho and lambda), and Wald tests.

Usage

```
## S3 method for class 'summary.SARARgamlss'
print(x, ...)
```

Arguments

x	An object of class 'summary.SARARgamlss'.
...	Additional arguments (currently unused).

Value

Print a summary for the specified GAMLSS model.

```
ptfamily
```

Truncated Poisson Family for GLM

Description

This function defines a truncated Poisson family for use in Generalized Linear Models (GLMs), where zero values are not allowed. It modifies the Poisson likelihood by excluding zero-count observations.

Usage

```
ptfamily(link = "log")
```

Arguments

link	Character string or a link-glm object specifying the link function. Accepted values are "log", "identity", and "sqrt".
------	--

Value

An object of class "family" that can be used in `glm()`.

Examples

```
set.seed(123)
y <- rpois(100, lambda = 3)
y <- y[y > 0] # Truncate zeros
x <- rnorm(length(y))
model <- glm(y ~ x, family = ptfamily())
summary(model)
```

SARARgamlss

SARARgamlss: Spatial Autoregressive Generalized Additive Model for Location Scale (GAMLSS)

Description

This function estimates a Spatial Autoregressive Generalized Additive Model for Location Scale (SARARgamlss) using GAMLSS. The model includes both spatial dependencies and the possibility of non-parametric terms in the formulas for the mean and variance. The function supports SAR, SARAR, and SEM model types and performs the estimation through an iterative process that updates spatial dependence parameters. The variance of the spatial parameters $\hat{\rho}$ and $\hat{\lambda}$ is estimated using the inverse of the Hessian matrix from the optimization.

Usage

```
SARARgamlss(
  formula,
  sigma.formula = ~1,
  W1 = diag(0, nrow(data)),
  W2 = diag(0, nrow(data)),
  data,
  tol = 1e-04,
  maxiter = 20,
  type = c("SAR", "SARAR", "SEM"),
  weights = NULL
)
```

Arguments

formula	A formula specifying the mean structure of the model (response ~ explanatory variables).
sigma.formula	A formula specifying the variance structure of the model (default: ~1).
W1	A spatial weights matrix for the SAR term (default: identity matrix).
W2	A spatial weights matrix for the SARAR term (default: identity matrix).

data	A data.frame containing the variables used in the model.
tol	Convergence tolerance (default: 1E-4).
maxiter	Maximum number of iterations for optimization (default: 20).
type	The type of spatial model to fit: one of "SAR", "SARAR", or "SEM".
weights	Optional weights for the observations (default: NULL).

Value

A fitted GAMLSS model object with spatial autoregressive terms. The model object also includes the variance of the spatial parameters $\hat{\rho}$ and $\hat{\lambda}$

References

Tolozza-Delgado, J. D., Melo, O. O., & Cruz, N. A. Joint spatial modeling of mean and non-homogeneous variance combining semiparametric SAR and GAMLSS models for hedonic prices. *Spatial Statistics*, 65, 100864 (2025) @source <https://doi.org/10.1016/j.spasta.2024.100864>

Examples

```
library(spdep)
library(gamlss)
data(oldcol)
# Create spatial weight matrices W1 and W2
W1 <- spdep::nb2mat(COL.nb, style = "W")
W2 <- W1 # In this case, assume the same spatial weights for both
# Fit a SARARgamlss model
result <- SARARgamlss(formula = CRIME ~ INC + cs(HOVAL),
  sigma.formula = ~ INC + pb(HOVAL), W1 = W1, W2 = W2, data = COL.OLD,
  tol = 1E-4, maxiter = 20, type = "SARAR")
summary_SAR(result)
gamlss::term.plot(result$gamlss, what="mu")
```

summary_SAR

Custom Summary Function for SARARgamlss and GSCIMC Models

Description

This function generates a summary for objects of class 'SARARgamlss' or 'GSCIMC'. It combines the summary outputs for both models, including GAMLSS model details, spatial parameters (rho and lambda), and Wald tests.

Usage

```
summary_SAR(object)
```

Arguments

object An object of class 'SARARGamlss' or 'GSCIMC'.

Value

A list containing the summary for the specified model class.

Examples

```
library(spdep)
library(gamlss)
data(oldcol)
W1 <- spdep::nb2mat(COL.nb, style = "W")
W2 <- W1 # In this case, assume the same spatial weights for both
# Fit a SARARGamlss model
result_sarar <- SARARGamlss(formula = CRIME ~ INC + HOVAL,
                             sigma.formula = ~ INC + pb(HOVAL),
                             W1 = W1, W2 = W2, data = COL.OLD,
                             type="SAR")

summary_SAR(result_sarar)

# Example for GSCIMC model
result_GSCIMC <- GSCIMC(formula = CRIME ~ INC + HOVAL, data = COL.OLD, W = W1)
summary_SAR(result_GSCIMC)
```

var_rho_inv	<i>Compute the Inverse Variance of the Spatial Autoregressive Parameter (ρ)</i>
-------------	---

Description

This function calculates the inverse of the variance of the spatial autoregressive parameter ρ in a generalized spatial autoregressive (GSAR) or GEE-SAR model. The calculation is based on the quasi-likelihood derivatives with respect to ρ for different exponential family distributions.

Usage

```
var_rho_inv(A, W, X, beta, family, y, offs = NULL, weights = NULL, phi = 1)
```

Arguments

A Matrix. The spatial transformation matrix $\mathbf{A} = \mathbf{I} - \rho\mathbf{W}$, typically of class 'Matrix'.

W Matrix. Row-standardized spatial weights matrix \mathbf{W} of dimension $n \times n$.

X Matrix. Design matrix of covariates, dimension $n \times p$.

beta Numeric vector. Current estimates of regression coefficients β , length p .

family	GLM family object. The response distribution family (e.g., 'gaussian()', 'poisson()', 'binomial()', 'Gamma()', 'Negative Binomial()').
y	response variable
offs	Numeric vector. Optional offset vector, length n . Default is 0.
weights	Numeric vector. Observation weights m_i (e.g., number of trials for binomial data), length n .
phi	Numeric. Dispersion parameter, used for 'gaussian', 'Gamma', or 'Negative Binomial' families. Default is 1.

Details

The function computes first and second derivatives of the mean μ_i with respect to ρ , and then applies the appropriate formula for the inverse variance based on the selected family. This generalizes the quasi-likelihood derivations for spatially correlated generalized linear models.

For binomial families with large m_i , it is recommended to truncate μ_i within $[1e - 10, 1 - 1e - 10]$ to avoid numerical instability.

Value

Numeric. The inverse of the variance of $\hat{\rho}$ ($\text{Var}(\hat{\rho})^{-1}$).

Examples

```
## Not run:
library(Matrix)
n <- 10
W <- Matrix(0,n,n)
diag(W[-1,]) <- 1
X <- matrix(rnorm(n*2), n, 2)
beta <- c(0.5, -0.2)
rho <- 0.3
A <- Diagonal(n) - rho*W
family <- binomial()
weights <- rep(1,n)
var_rho_inv(A, W, X, beta, family, weights)

## End(Not run)
```

Index

`gee`, [4](#)

`glm`, [4](#)

`GSCIMC`, [2](#)

`Hurdle_GSCIMC`, [4](#)

`print.summary.GSCIMC`, [5](#)

`print.summary.SARARGamlss`, [6](#)

`ptfamily`, [6](#)

`SARARGamlss`, [7](#)

`spdep`, [4](#)

`summary_SAR`, [8](#)

`var_rho_inv`, [9](#)